



SCAN ME



PRODUCT CATALOGUE

PROUDLY MADE IN NEGROS ISLAND

PRODUCTS WE OFFER

PIPES

HDPE PIPES AND FITTINGS
PPR PIPE AND FITTINGS
PRESSURE PIPE
SANITARY PIPES AND FITTINGS
ELECTRICAL PIPES AND FITTINGS
HDPE SPIRAL PIPE
HYDROPONICS
GRAY PIPES AND GRAY FITTINGS
DEEP WELL SCREEN CASING
BLUE PIPES AND FITTINGS
INDOOR/OUTDOOR FLEXIBLE HOSE

TANKS

PRESSURE TANK
STAINLESS STEEL TANK
PE TANKS
D230L POLYETHYLENE DRUM
SEPTIC TANK

ROOFING

RIB TYPE
CORRUGATED
ASA COATED ROFFING
BENDED PANELS

OTHER PRODUCTS

FLOATER ,SLIM JUG
BLACK AND WHITE CARBOY
HDPE SCREEN, PIPE SPACER
PORTALET, FISH CAGE
GARDEN HOSE ,ROAD BARRIER
SOLVENT CEMENT, GARDEN HOSE
BUTT FUSION MACHINE
PIPELINE ACCESSORIES
RESCUE BOAT
TRASH BIN (SANIT BY FUJIPIPES)
ELECTRICAL MOULDING AND BOXES

CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.

Fujipipes Compound, Brgy. Hawaiian, Silay City, Negros Occidental, 6116



(+63) 917 300 1110



sales@fujipipes.com



Fujipipes



fujipipes.com

NEW PRODUCTS

CLICK TO BROWSE



TANQUE
PRESSURE TANK

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



SPIRAL
UNDERGROUND CABLING CONDUIT

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



SUNROOF
ASA COUPLES

PROUDLY MADE IN NEGROS ISLAND

sales@fujipipes.com
+ 63.34.718.0040
+ 63.917.300.110
+ 63.917.880.0111
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



FOOD GRADE STAINLESS STEEL TANK

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



GRAY PIPES
uPVC Sch. 80

PROUDLY MADE IN NEGROS ISLAND

sales@fujipipes.com
+ 63.34.718.0040
+ 63.917.300.110
+ 63.917.880.0111
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.




BENDED PROFILES

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



DEEPWELL
SCREEN CASING

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



QUICK CONNECT
RIGID CONNECTION PIPE WITH COUPLERS

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



HYDROPONICS
AQUAPONICS

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



SÉPTICO

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.




PORTALET

PROUDLY MADE IN NEGROS ISLAND

sales@fujipipes.com
+ 63.34.718.0040
+ 63.917.300.110
+ 63.917.880.0111
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



PIPE SPACER

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



D230L
POLYETHYLENE DRUM

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



INTERLOCK

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



HydroFloat

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



SANIT

PROUDLY MADE IN NEGROS ISLAND

+ 63.917.300.110
sales@fujipipes.com
fujipipes.com

FUJIPIPES ANOTHER QUALITY PRODUCT OF CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.

CLICK TO BROWSE



PD Premium Drain

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PS Premium Storm

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



ELECTRICAL & TELECOM

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



uPVC

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



MAINLINES

PROUDLY MADE IN NEGROS ISLAND

AVAILABLE EPDM SEAL FIXED SEAL

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



HDPE PRESSURE PIPE

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PIPELINE ACCESSORIES

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PPR PIPE

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



DWV FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



BLUE POTABLE IN-HOUSE FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PVC

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PP COMPRESSION FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



HDPE FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



BUTT FUSION MACHINE

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PPR FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



GRAY FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



FURNITURE FITTINGS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



FLEX

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



uPVC SQUARE TRUNKING

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



SUNROOF

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



FOOD GRADE LLDPE

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



LLDPE SEPTIC TANK

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



RESCUE BOATS

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



FISH CAGES

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



HDPE SCREEN

PROUDLY MADE IN NEGROS ISLAND

+63 917 300 110
sales@fujipipes.com
fujipipes.com

FUJIPIPES



PD PREMIUM DRAIN

**PROUDLY
MADE IN
NEGROS
ISLAND**



-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



S600 / S1000

PREMIUM DRAIN

UPVC DRAIN WASTE
VENT SYSTEM

APPLICATIONS

WASTE WATER SYSTEM


DRAINAGE SYSTEM

VENT INSTALLATION

SPECIFICATIONS

Standard	: Conforming to PNS 1950:2010
Color	: Orange
Material	: ASTM D 1784
Working Pressure	: 50 PSI (3.45 bars)

OUTSIDE DIAMETER (mm)	NOMINAL SIZE (in)	STANDARD LENGTH (m)	WALL THICKNESS	
			SERIES 600 (mm)	SERIES 1000 (mm)
57	2	3	1.9	2.5
82	3	3	2.5	3.7
107	4	3	2.5	3.8



Advantages



LIGHT – WEIGHT



CORROSION RESISTANCE



LOW COST



LONG SERVICE LIFE



EASY INSTALLATION



fujipipes.com



0917 300 1110



sales@fujipipes.com



PS PREMIUMSEWER

**PROUDLY
MADE IN
NEGROS
ISLAND**

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



PREMIUM SEWER

uPVC DRAIN WASTE VENT SYSTEM

APPLICATIONS

WASTE WATER SYSTEM


SEWERAGE SYSTEM

VENT INSTALLATION

SPECIFICATIONS

Standard : Conforming to ISO 4435
 Color : Orange
 Material : ASTM D 1784
 Working Pressure : 50 PSI (3.45 bars)

OUTSIDE DIAMETER (mm)	NOMINAL SIZE (in)	STANDARD LENGTH (m)	WALL THICKNESS (mm)			
			SDR 34		SDR 41	
			(min)	(max)	(min)	(max)
160	6	3 or 6	4.7	5.4	4.0	4.6
200	8	3 or 6	5.9	6.7	4.9	5.6
250	10	3 or 6	7.3	8.3	6.2	7.1
315	12	3 or 6	9.2	10.4	7.7	8.7
355	14	3 or 6	10.4	11.7	8.7	9.8
400	16	3 or 6	11.7	13.1	9.8	11.0



Advantages



LIGHT - WEIGHT



LONG SERVICE LIFE



CORROSION RESISTANCE



EASY INSTALLATION



LOW COST



fujipipes.com



0917 300 1110



sales@fujipipes.com



ELECTRICAL & TELECOM

PROUDLY
MADE IN
NEGROS
ISLAND



-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



FUJI

ELECTRICAL & TELECOM

APPLICATIONS

CCTV	Wire Protection	Suction Hose	Home Electricals
Solar PV systems	Flood Light	Light Posts	Indoor/Outdoor Lighting
Garden Lights	Cable Management	Indoor Ducting	Flood Lights

SPECIFICATIONS

MATERIAL	: HDPE – High Density Polyethylene uPVC – Unplasticized Chloride
STANDARD	: PNS 14:1983

HDPE TELECOM DUCTS

OUTSIDE DIAMETER (mm)	NOMINAL SIZE (in)	WALL THICKNESS (mm)			STANDARD LENGTH (m)
		SDR 11	SDR 13.6	SDR 17	
20	1/2	1.82	1.47	1.18	100-300-500
25	3/4	2.27	1.84	1.47	150
32	1	2.91	2.35	1.88	100
40	1-1/4	3.64	2.94	2.35	60
50	1-1/2	4.55	3.68	2.94	60
63	2	5.73	4.63	3.71	60
75	2-1/2	6.82	5.51	4.41	60
90	3	8.18	6.62	5.29	6-100
110	4	10.00	8.09	6.47	6-100
160	6	14.55	11.76	9.41	6
225	8	20.45	16.54	13.24	6
280	10	25.45	20.59	16.47	6
315	12	28.64	23.16	18.53	6
355	14	32.27	26.10	20.88	6
400	16	36.36	29.41	23.53	6
450	18	40.91	33.09	26.47	6

uPVC ELECTRICAL CONDUIT PIPES

OUTSIDE DIAMETER (mm)	NOMINAL SIZE (in)	WALL THICKNESS (mm)				STANDARD LENGTH (m)
		THIN WALL		THICK WALL		
		Min	Max	Min	Max	
20	1/2	1.50	1.85	2.20	2.62	3/6
25	3/4	1.50	1.85	2.30	2.73	3/6
32	1	1.50	1.85	2.40	2.84	3/6
THICK WALL						
		Min	Max			
40	1-1/4	2.40	2.84			3/6
50	1-1/2	2.40	2.87			3/6
63	2	2.50	2.98			3/6
75	2-1/2	2.90	3.39			3/6
90	3	3.50	4.02			3/6
110	4	4.20	4.82			3/6
160	6	6.10	6.91			3/6
225	8	10.80	12.50			3/6

SQUARE BOX



SIZE (in)
4 11/16 x 4 11/16

JUNCTION BOX



SIZE (in)
4 x 4

SWITCH BOX



SIZE (in)
2 x 1/2

UTILITY BOX



SIZE (in)
2 x 4

YELLOW GUY WIRE PROTECTOR



SIZE (in)
1

ELECTRICAL ELBOWS



SIZE
(mm) (in)
20 1/2
25 3/4
32 1





BLUE POTABLE IN-HOUSE
uPVC
PIPING SYSTEM

PROUDLY
MADE IN
NEGROS
ISLAND



-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com




APPLICATIONS

Water Supply Engineering	Chemical Factory	Fish Breeding
Construction Engineering	Agricultural Ground	Poultry Raising

SPECIFICATIONS

Standard	: Conforming to PNS 65
Color	: Blue
Material	: Unplasticized Polyvinyl Chloride (uPVC)
Working Pressure	: 180 - 230 PSI (12.41 - 15.86 bars)

OUTSIDE DIAMETER	NOMINAL SIZE	WALL THICKNESS		STANDARD LENGTH	NOMINAL PRESSURE RATING (AT 20°C)
		Min	Max		
(mm)	(in)	(mm)	(mm)	(m)	(PSI)
20	1/2	1.80	2.18	3 / 6	230
25	3/4	1.90	2.29	3 / 6	230
32	1	2.00	2.40	3 / 6	180
40	1 - 1/4	2.30	2.73	3 / 6	180
50	1 - 1/2	2.90	3.39	3 / 6	180
63	2	3.60	4.16	3 / 6	180



Advantages

- | | |
|----------------------|-------------------|
| LIGHT - WEIGHT | LOW COST |
| CORROSION RESISTANCE | LONG SERVICE LIFE |
| HIGH STRENGTH | EASY INSTALLATION |



MAINLINES
uPVC PRESSURE MAINS

**PROUDLY
MADE IN
NEGROS
ISLAND**

**AVAILABLE
EPDM SEAL
FIXED SEAL**



-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



UPVC PRESSURE MAIN PIPE

ADVANTAGES

CORROSION RESISTANCE
ECONOMICAL

HIGH STRENGTH
LIGHTWEIGHT

EASY TO INSTALL
LONG SERVICE LIFE

SPECIFICATIONS

Standard : Conforming to PNS 65 2018
Color : Blue
Material : uPVC (unPlasticized Polyvinyl Chloride)
Working Pressure : 0.86 MPa - 1.03MPa



**NOMINAL
OUTSIDE
DIAMETER**

LENGTH

**CLASS 100
SERIES 10
PN = 0.86 MPa**

**CLASS 150
SERIES 8
PN = 1.03 MPa**

mm

m

THICKNESS (mm)

THICKNESS (mm)

63

3 or 6

3.0

3.6

75

6

3.6

4.3

90

6

4.4

5.2

110

6

5.3

6.3

160

6

7.7

9.2

225

6

10.8

12.9

280

6

13.5

16

315

6

15.2

18

355

6

17.1

20.3

400

6

19.3

22.9



fujipipes.com



0917 300 1110



sales@fujipipes.com



HDPE PRESSURE PIPE



PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



HDPE

PRESSURE PIPE

Potable Water Main Distribution
Telecom Connection System
Service Connection System
Industrial
Agricultural

APPLICATION

Butt Fusion
Stub ends (Flange Type)
Flange Type
Compression Type

Electro Fusion
Socket Fusion

MATERIAL


PE 100

OUTSIDE DIAMETER	NOMINAL SIZE	STANDARD LENGTH	SDR 9 PE 100	SDR 11 PE 100	SDR 13.6 PE 100	SDR 17 PE 100
			NOMINAL PRESSURE (PSI)			
			300 / PN20	232 / PN16	181.25 / PN12.5	145 / PN10
THICKNESS						
(mm)	(in)	(m)	(mm)	(mm)	(mm)	(mm)
20	1/2	50-100-150-300-500	2.22	1.82	1.47	1.18
25	3/4	50-100-150	2.78	2.27	1.84	1.47
32	1	50-100	3.56	2.91	2.35	1.88
40	1-1/4	60	4.44	3.64	2.94	2.35
50	1-1/2	60	5.56	4.55	3.68	2.94
63	2	60	7.00	5.73	4.63	3.71
75	2-1/2	60	8.33	6.82	5.51	4.41
90	3	100	10.00	8.18	6.62	5.29
110	4	100	12.22	10.00	8.09	6.47
160	6	6	17.78	14.55	11.76	9.41
225	8	6	25.00	20.45	16.54	13.24
280	10	6	31.11	25.45	20.59	16.47
315	12	6	35.00	28.64	23.16	18.53
355	14	6	39.44	32.27	26.10	20.88
400	16	6	44.44	36.36	29.41	23.53
450	18	6	50.00	40.91	33.09	26.47

COPPER TUBE SIZING HDPE PIPE

SIZES	AVERAGE OD(IN)	AVERAGE OD(mm)	SDR 11	SDR 17
			NOMINAL PRESSURE (PSI)	
			232 / PN16	145 / PN10
MINIMUM THICKNESS				
1/2"	0.625	15.9	1.4	0.9
3/4"	0.875	22.2	2.0	1.3
1"	1.125	28.6	2.6	1.7
1 1/4"	1.375	34.9	3.2	2.1
1 1/2"	1.625	41.3	3.8	2.4
2"	2.125	54	4.9	3.2

1/2" - 4" In coil form
6" - 18" In pipe form
3" - 18" Custom cutting are also available





PIPELINE ACCESSORIES

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



PIPELINE ACCESSORIES

A Comprehensive Range of Quality Products

APPLICATION

Pipe connections
Fluid regulation
Sewer systems

Firefighting
Water distribution
Pipeline maintenance

Water and gas mains
Underground pipelines
Plumbing systems

Find the perfect fit with sizes available from **2 inches upto 14 inches.**



RESTRAINED FLANGE ADAPTOR



RESTRAINED FLANGE COUPLING



STUB ENDS



STEEL RING FLANGE



GASKET / RUBBER MATTING



CI / DI GATE VALVE FLANGE TYPE



BUTTERFLY VALVE RESTRAINED SET



BUTTERFLY VALVE STUB ENDS SET




STUB ENDS + RING FLANGE W/ BOLT & NUT



CHECK VALVE




RUBBER EXPANSION JOINT



CI / DI FIRE HYDRANT CITY TYPE



COMMERCIAL FIRE HYDRANT



RESIDENTIAL FIRE HYDRANT



PPR PIPE

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



PPR PIPE

APPLICATIONS

Hot and Cold Water Systems Purified Water System
Central Heating Systems Chemical Media
Radiant Heating Systems Industrial Piping System.

MATERIAL

Borealis R140E (grade A), 100% new materials



S2.5 PN 2.5 Mpa - 362.59 psi Hot/Cold Water

DN	MAX OUTSIDE DIAMETER	WEIGHT (g) / METER	THICKNESS
mm	mm	g	mm
20	20.3	170	3.4
25	25.3	255	4.2
32	32.3	420	5.4
40	40.4	700	6.7
50	50.5	1150	8.4
63	63.6	1610	10.5
75	75.7	2410	12.5
90	90.9	3420	15
110	111	4710	18.3



DWV FITTINGS

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



DWV FITTINGS

APPLICATIONS

Water Supply Engineering	Golf Course Engineering	Fish Breeding
Salt Water Engineering	Chemical Factory	Poultry Raising
Construction Engineering	Agricultural Ground	

MATERIAL

Unplasticized Polyvnyl Chloride – UPVC



90° ELBOW

45° ELBOW

REDUCER

COUPLING

SIZE	DN	PCS/BAG	SIZE	DN	PCS/BAG	SIZE	PCS/BAG	SIZE	DN	PCS/BAG
63	2	100	63	2	100	3 x 2	100	63	2	200
90	3	50	90	3	50	4 x 2	100	90	3	100
110	4	25	110	4	25	4 x 3	100	110	4	50
160	6	—	160	6	—	6 x 4	100	160	6	—



TEE

WYE

CLEAN - OUT

P-TRAP w/ O RING

DN	PCS/BAG	DN	PCS/BAG	DN	PCS/BAG	DN	PCS/BAG
2 x 2	50	2 x 2	50	2	200	2	35
3 x 2	25	3 x 2	25	3	100	3	—
3 x 3	25	3 x 3	25	4	80	4	—
4 x 2	20	4 x 2	15	6	—	6	—
4 x 3	20	4 x 3	15				
4 x 4	15	4 x 4	15				



BLUE POTABLE IN-HOUSE FITTINGS

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



BLUE POTABLE IN-HOUSE FITTINGS

APPLICATIONS

Water Supply Engineering	Golf Course Engineering	Fish Breeding
Salt Water Engineering	Chemical Factory	Poultry Raising
Construction Engineering	Agricultural Ground	

MATERIAL

Polyvnyl Chloride – PVC



PLAIN TEE			THREADED TEE			FEMALE ADAPTOR			MALE ADAPTOR		
SIZE	DN	PCS/BOX	SIZE	DN	PCS/BOX	SIZE	DN	PCS/BOX	SIZE	DN	PCS/BOX
20	1/2	750	20	1/2	450	20	1/2	900	20	1/2	1700
25	3/4	400	25	3/4	350	25	3/4	500	25	3/4	1000
32	1	280	32	1	200	32	1	250	32	1	600
40	1-1/4	160				40	1-1/4	340	40	1-1/4	410
50	1-1/2	90				50	1-1/2	210	50	1-1/2	310
63	2	50				63	2	130	63	2	170



COUPLING REDUCER		COUPLING			PLAIN 90° ELBOW			THREADED 90° ELBOW		
SIZE	PCS/BOX	SIZE	DN	PCS/BOX	SIZE	DN	PCS/BOX	SIZE	DN	PCS/BOX
25 x 20	1200	20	1/2	1400	20	1/2	1200	20	1/2	550
32 x 20	675	25	3/4	900	25	3/4	650	25	3/4	350
32 x 25	675	32	1	500	32	1	350	32	1	200
40 x 32	630	40	1-1/4	400	40	1-1/4	220			
50 x 40	340	50	1-1/2	230	50	1-1/2	130			
63 x 50	185	63	2	120	63	2	65			



PVC

SOLVENT CEMENT
TEFLON TAPE &
GARDEN HOSE

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



PVC

SOLVENT CEMENT
TEFLON TAPE &
GARDEN HOSE

A Comprehensive Range of Quality Products

APPLICATIONS

Plumbing
Air and water
System Connections

Pipe repair
Pipe installation
Irrigation

FUJIPIPES TEFLON TAPE

FOR RESIDENTIAL AND COMMERCIAL USE(PVC, COPPER, BRASS, AND GALVANIZED PIPES)



SIZE

1/2" 3/4" 1"

Length : 12 Meters

FUJIPIPES PVC SOLVENT CEMENT

FOR DOMESTIC AND INDUSTRIAL PVC-U, PVC-M, PVC-O PIPING SYSTEM

FUJIPIPES GARDEN HOSE

WATERING GARDENS, OUTDOOR CLEANING, TEMPORARY WATER SUPPLY



**100ml
With Brush**



SIZE

1/2" 5/8" 3/4" 1"

Length : 90 Meters



**400ml
With Brush**

 fujipipes.com

 0917 300 1110

 sales@fujipipes.com



PP COMPRESSION FITTINGS



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, I



PP COMPRESSION FITTINGS

Suitable for HDPE Pipeline System

Only Virgin Material used
Push-fit Design
Easier Installation
Better EPDM Rubber used

Longer Lifespan of O-Ring
Compact Design
Ergonomic Design



Cap Nut
Polypropylene
(PP)



Clinching Ring
Poly Acetal
(POM)



Pusher
Polypropylene
(PP)



O-Ring
EPDM
Rubber



Body
Polypropylene
(PP)



STRAIGHT
COUPLER



END
CAP



FEMALE
THREADED ADAPTOR



MALE
THREADED ADAPTOR



REDUCING
COUPLER



FEMALE BEND
90° ELBOW



REDUCING
TEE



FEMALE
TEE



MALE
TEE



MALE BEND
90° ELBOW



TANK
CONNECTOR



EQUAL
TEE



EQUAL
90° ELBOW



TANK
NIPPLE



REPAIR
CLAMP



TAPPING
FERRULE



SADDLE
CLAMP



BUTT FUSION GRADE

HDPE FITTINGS

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



BUTT FUSION GRADE HDPE FITTINGS

APPLICATION

Potable Water Main Distribution
Telecom Connection System
Fire System Supply Lines

Service Connection System
Industrial
Agricultural

STANDARD

PNS ISO 4427-2002
LICENSE NO. Q-1779

MATERIAL

HDPE – High Density Polyethylene



90° 2 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



90° 3 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



90° 4 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



90° 5 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



**BUTT FUSION GRADE
REDUCER**

SIZES	DN
90 x 63	3 x 2
110 x 90	4 x 3
160 x 110	6 x 8
225 x 160	8 x 6
280 x 225	10 x 8
315 x 280	12 x 10
355 x 315	14 x 12
400 x 355	16 x 14
450 x 400	18 x 16



45° 2 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



45° 3 SEGMENT ELBOW

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



EQUAL LINE CROSS

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



EQUAL WYE

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16
450	18



**BUTT FUSION GRADE
END CAP**

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12



EQUAL TEE

SIZES	DN
90	3
110	4
160	6
225	8
280	10
315	12
355	14
400	16




TEE REDUCER

SIZES	BRANCH PIPE SIZE
90	32, 40
110	32, 40, 50
160	32, 40, 50, 63, 75
225	32, 40, 50, 63, 75, 110
280	32, 40, 50, 63, 75, 110
315	32, 40, 50, 63, 75, 110
355	315, 280, 225, 160, 110
400	355, 315, 280, 225, 160



WYE REDUCER

SIZES	BRANCH PIPE SIZE
90	32, 40
110	32, 40, 50
160	32, 40, 50, 63, 75
225	32, 40, 50, 63, 75, 110
280	32, 40, 50, 63, 75, 110
315	32, 40, 50, 63, 75, 110
355	315, 280, 225, 160, 110
400	355, 315, 280, 225, 160



BUTT FUSION MACHINE

 **ROTHENBERGER**

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.




BUTT FUSION MACHINE

APPLICATION

Water Supply Lines	Industrial Piping	Aqua Culture
Sewer Lines	Irrigation Systems	Construction
Gas Distribution	Chemical Processing	Marine Applications

SHD315/90 HYDRAULIC BUTT FUSION MACHINE



Welding Range:	3"-12" (90-315 mm)
Cooling Way:	Air Cooling
Control:	Semi-Automatic
Frequency Range:	Intermediate Frequency
Electric Current:	AC
Type:	Plastic Welders

SHDS160/50A2 MANUAL BUTT FUSION MACHINE



Welding Range:	1½"-6" (50-160mm)
Cooling Way:	Air Cooling
Control:	Manual
Frequency Range:	Intermediate Frequency
Electric Current:	AC
Type:	Plastic Welders

Model	SHD315/90	SHDS160/50A2
Welding range	3" - 12"	1½" - 6"
Heating plate maximum temperature	270°C	270°C
Heating plate surface temperature difference(170-250°C)	≤±5°C	≤±5°C
Operating Voltage (AC)	220V	220V
Heating plate power	3.0 kW	1.5 kW
Milling cutter power	1.1 kW	0.7 kW
Hydraulic power station	0.75 kW	NA
Total power	4.85 kW	2.2 kW
Price		





PPR FITTINGS

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



PPR

FITTINGS & VALVE

APPLICATION

Hot & Cold Potable Water
Sanitary Liquids
Public Piping Installation

Liquid Food Products
Aggressive Chemicals
Compressed Air

MATERIAL

PPR – Polypropylene Random Copolymer plastic



SOCKET

COUPLING

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



ELBOW 90°

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



TEE

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



MALE

BRASS ADAPTOR

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



FEMALE

BRASS ADAPTOR

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



REDUCING

COUPLING

SIZES
25 x 20
32 x 20
32 x 25
40 x 32



MALE

BRASS ELBOW

SIZES	DN
20	1/2
25	3/4
32	1



FEMALE

BRASS ELBOW

SIZES	DN
20	1/2
25	3/4
32	1



MALE

BRASS TEE

SIZES	DN
20	1/2
25	3/4
32	1



FEMALE

BRASS TEE

SIZES	DN
20	1/2
25	3/4
32	1



END CAP

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



MALE

BRASS UNION

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



STOP VALVE

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4
50	1-1/2
63	2



fujipipes.com



0917 300 1110



sales@fujipipes.com



uPVC
**GRAY
 FITTINGS**



-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
 CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



uPVC GRAY FITTINGS

APPLICATION

Water Supply Engineering
Salt Water Engineering
Construction Engineering

Gold Course Engineering
Chemical Factory
Agricultural Ground

Industrial Piping System
Fish Breeding
Poultry Raising

MATERIAL

uPVC – Unplasticised Polyvinyl Chloride



45° ELBOW



90° ELBOW



COUPLING



TEE



UNION



END CAP



COMPACT BALL VALVE



REGULAR & LOCKABLE
TRUE UNION BALL VALVE



VAN STONE FLANGE



FEMALE ADAPTER



MALE ADAPTER



CHECK VALVE



COUPLING REDUCER



REDUCING TEE





BUSHING REDUCER



LEVER HANDLE BUTTERFLY



FOOT VALVE



FURNITURE FITTINGS

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



FURNITURE FITTINGS

APPLICATION

DIY Chair
DIY Table
DIY Aquaphonic

DIY Shelves
DIY Cart
DIY Cabinet

DIY Desk
DIY Cloth Rack
DIY Footrest

MATERIAL

PVC - Polyvinyl Chloride



ELBOW 45°

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4



3-WAY FITTING

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4



4-WAY FITTING

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4



5-WAY FITTING

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4



CROSS TEE

SIZES	DN
20	1/2
25	3/4
32	1
40	1-1/4



FLEX
FLEXIBLE CONDUIT

PROUDLY
MADE IN
NEGROS
ISLAND

- + 63.917.300.1110
- sales@fujipipes.com
- Fujipipes
- fujipipes.com

FUJIPIPES

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



ELECTRICAL FLEXIBLE CONDUIT

APPLICATIONS

Construction Engineering	Chemical Factory	Flood Lights
Cable Management	Indoor Lights	Indoor Outlets
Indoor Ducting	Agricultural Ground	Reduce Electrical Hazards


MATERIAL

PVC - Polyvinyl Chloride

PE - Polyethylene

ADVANTAGES

- Fire Resistant
- Non-Corrosive
- Light-weight
- High Chemical Resistance
- Smooth Internal Surface
- 50% more flexible
- Water and moisture proof
- Easy handling
- Durable
- High Mechanical Strength



PVC – POLYVINYL CHLORIDE
COLOR – TIGER ORANGE



PE – POLYETHYLENE
COLOR – BLACK

SIZES

- 1/2 X 20M
- 1/2 X 50M
- 1/2 X 100M
- 3/4 X 20M
- 3/4 X 50M
- 3/4 X 100M
- 1 X 50M

25x2400 MADE for PHIL <2021-06-06 12:06:55> FUJIPIPES.COM

<2021-06-06 12:06:55> FUJIPIPES.COM

uPVC

SQUARE
TRUNKING



PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



uPVC SQUARE TRUNKING

APPLICATIONS


Offices	Appliances	Lightings
Indoor Workspaces	Hotels	Relays
Intercom	Warehouse	Solenoids

MATERIAL

Unplasticized Polyvinyl Chloride - uPVC

 FUJIPIPES uPVC TRUNKING 1" 25 x 2400 MADE for PHIL <2021-06-06 12:06:55> FUJIPIPES.COM

CROSS-SECTIONAL AREA	THICKNESS	LENGTH	PCS/ BUNDLE
mm	mm	m	pcs
10 x 10	0.65	2.4	50
12 x 12	0.60	2.4	50
16 x 16	0.70	2.4	30
20 x 20	1.00	2.4	30
25 x 25	1.25	2.4	25
33 x 33	1.00	2.4	16



SUNROOF
THERMOPLASTIC ROOFING

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



FUJI

THERMOPLASTIC ROOFING

FEATURES

Durable
Easy and Quick Installation

CORROSION RESISTANT
Fire Resistant


Low Cost
Lightweight

MATERIAL


Polyvinyl Chloride - PVC

Colors : White, Beige & Skylight

CORRUGATED



RIB TYPE



FLAT SHEET



CORRUGATED

SPECIFICATIONS

Sidelappings	1½ Corrugation & 2½ Corrugations
Nominal Width in mm	1,215 mm
Effective Width in mm	1½ Corrugations = 1,120 mm 2½ Corrugations = 1,050 mm
Thickness, mm (+/- 0.2mm tolerance)	1.5, 2.0, & 2.5 mm
Number of Corrugations	18½ waves
Recommended Purlin Distance	0.50 - 1.00 METER

RIB TYPE

SPECIFICATIONS

Sidelappings	1 rib & 2 ribs
Nominal Width in mm	1,305 mm
Effective Width in mm	1 rib = 1,265 mm 2 ribs = 1,050 mm
Thickness, mm (+/- 0.2mm tolerance)	1.5, 2.0, & 2.5 mm



FOOD GRADE
LLDPE
STORAGE TANK

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



FOOD GRADE LLDPE STORAGE TANK

APPLICATION

Potable Water Storage
Rainwater Collection
Waste Vegetable Oil


Agricultural Chemicals
Industrial Chemicals

CAPACITY

500L 1000L 1500L 2000L 5000L 7500L 10000L




Easy Grip Design
for easy open and
close



With 2 Eyehole features
for easy lifting during
transport




3 pcs Tank fitting



Outside rib for
stronger protection



Male Plugs included
to keep inside clean
during storage



custom colors available

SIZE	D (mm)	H (mm)
500L	900	970
1000L	965	1570
1500L	1150	1785
2000L	1180	2000
5000L	2180	1354
7500L	2180	2034
10000L	2180	3030



LLDPE SEPTIC TANK

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com




LLDPE SEPTIC TANK

APPLICATIONS

Residential Houses	Schools	Buildings
Warehouses	Hotels	Resorts
Campgrounds	Factories	Subdivisions

MATERIAL

Linear Low-Density Polyethylene - LLDPE




SPECIFICATIONS

- HEIGHT :** 1600 mm
- DIAMETER :** 1120 mm
- VOLUME :** 1000L
- WEIGHT :** 54 kg
- MATERIAL :** LLDPE
- COLOR :** BLUE


7-10 Persons



11-15 Persons



16-20 Persons



INSTALLATION PROCEDURE



- 1** Assemble the septic tank body, filter, bucket, lid, cap, bolts, nuts and gravels.
- 2** Dig a hole about 1.6 meters deep and with a diameter of 1.5 meters.
- 3** Level the ground at the bottom of the hole by spreading about 6" of sand over the ground ensuring ideal compression.
- 4** Lower the Fujipipes SEPTICO Septic Tank into the hole. Ensure that the cover of the manhole should be 8cm above natural ground line or at the height that corresponds to the inlet and outflow pipes required elevation.
- 5** Connect the tank's inlet pipe to the bathroom's outlet pipe, and the tank's output pipe to the drainage.
- 6** Fill the bucket with 3/4" gravel up to 90% of its capacity.
- 7** Fill the tank's surroundings with soil. Cover the ground with concrete, leaving the septic cap exposed.
- 8** Tank must not be backfilled when empty. Fill with water before backfill.



RESCUE BOATS

PROUDLY
MADE IN
NEGROS
ISLAND



kib@genesisboats.ph



+ 63.908.850.0921 **KIB**



+ 63.917.706.7539 **ALO**



genesisboats.ph

**GENESIS
BOATS.ph**



RESCUE BOAT

FEATURES

Corrosion Resistant
Recyclable

Strong and Lightweight
Easy Installation

High Mechanical Strength
Long Lasting

MATERIAL


Low Linear Density Polyethylene - LLDPE

CAN INSTALL

Sun Shade
Outboard Motor



SPECIFICATIONS

Maximum Person = 6 pax
Maximum load = 700 kg



INCLUDED (1 pair paddle, 1 hole plug, 4 pcs handle)

MODEL NAME	NET WEIGHT	PRICE
GB70K	70 kg	₱ 92,100
OPTIONAL ACCESSORIES	RECOMMENDED QTY	PRICE PER UNIT
MOTOR PLATE	1 pc	₱ 5,000
ROOF/ SHED	1 pc	₱ 9,400



FISH CAGES

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



HDPE FISH CAGES

FEATURES


Corrosion Resistant
High Strength

Strong and Lightweight
Easy Installation

High Mechanical Strength

MATERIAL

High Density Polyethylene - HDPE



STANCHION

225 mm diameter
UV-stabilized double collar



STANCHION TEE

110 mm diameter
UV-stabilized for PE handrail



FOOT BOARD

415 mm x 500 mm
Extruded Pedal



fujipipes.com



0917 300 1110



sales@fujipipes.com



HDPE SCREEN

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



HDPE SCREEN

APPLICATIONS

Poultry Farms
Crop Protection

Garden Fencing
Insect Screen

Sewer Netting
Debris Control

MATERIAL

High Density Polyethylene – HDPE



Width : 30 meters

QPF HDPE SCREEN

Sizes

1/8" x 4ft

1/8" x 3ft

1/2" x 4ft

1/2" x 3ft

1/4" x 4ft

1/4" x 3ft

3/4" x 4ft

3/4" x 3ft

3/8" x 4ft

3/8" x 3ft

1" x 4ft

1" x 3ft




CORROSION RESISTANT

Does not rust, rot or corrode.



LIGHT WEIGHT

Makes transport and handling simple and convenient.



ANIMAL FRIENDLY

Contains no hazardous or toxic chemicals.



GRAY PIPES

uPVC Sch. 80

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



GRAY PIPES

uPVC Sch. 80

APPLICATIONS

Water Supply Engineering
Construction Engineering

Chemical Factory
Agricultural Ground

Fish Breeding
Poultry Raising

SPECIFICATIONS

Color : Gray
Material : Unplasticized Polyvinyl Chloride (uPVC)
Working Pressure : 300 PSI Burst Pressure (16 bars)

NOMINAL SIZE	OUTSIDE DIAMETER	WALL THICKNESS
		Min (mm)
(in)	(mm)	
1/2	20	2.3
3/4	25	2.3
1	32	2.8
1 - 1/4	40	3
1 - 1/2	50	3.7
2	63	4.7
2 - 1/2	75	5.6
3	90	6.7
4	110	6.6
6	160	7.7



Advantages



LIGHT - WEIGHT



LOW COST



CORROSION RESISTANCE



LONG SERVICE LIFE



HIGH STRENGTH



EASY INSTALLATION



fujipipes.com



0917 300 1110



sales@fujipipes.com



FOOD GRADE
**STAINLESS
STEEL TANK**

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, I



FOOD GRADE STAINLESS STEEL TANK

ADVANTAGES

Durability
Hygienic Storage
Longevity
Environmental Considerations

Safety
Versatility
Easy Maintenance
Resistance to Temperature Fluctuations

MATERIAL

304 Grade Stainless Steel



VERTICAL TANK DIMENSION

SIZE	D(mm)	H(mm)
500L	730	1730
775L	730	2260
1000L	960	1870
1500L	1220	1870
2000L	1360	1850
3000L	1360	2121
3200L	1360	2203
3500L	1760	1520
4000L	1360	3360
4500L	1760	1927
5000L	1760	2130
5300L	1360	3650
5500L	1760	2334
6000L	1760	2537
6500L	1760	2740
7000L	1760	2944
7500L	1760	3147

HORIZONTAL TANK DIMENSION

SIZE	D(mm)	H(mm)	L(mm)
500L	730	970	1450
775L	850	1140	1480
1000L	960	1300	1550
1500L	1220	1460	1550
2000L	1360	1650	1600
3000L	1360	2740	2421
3200L	1360	2503	2203
3500L	1760	2060	1620
4500L	1760	2060	2026
5000L	1760	2060	2230
5500L	1760	2060	2433
6000L	1760	2060	2637
6500L	1760	2060	2840
7000L	1760	2060	3044
7500L	1760	2060	3247
8000L	1760	2060	3450
8500L	1760	2060	3654
9000L	1760	2060	3857
9500L	1760	2060	4060



PVC UV-Proof
FOR
**HYDROPONICS
AND
AQUAPONICS**

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, II



PVC UV-Proof
FOR
**HYDROPONICS
AND
AQUAPONICS**

BENEFITS

Water Efficiency
Nutrient Control
Space Efficiency
Faster Growth Rates
Reduced Pest and Disease Risks

Customization
Symbiotic Ecosystem
Natural Fertilization
Dual Harvest
Reduced Environmental Impact

MATERIAL

PVC UV-Proof

**BENEFITS OF USING
HYDROPONICS AND AQUAPONICS**




FAST GROWTH



NO SOIL



NO PESTICIDES




NO PESTS



SAVE WATER



NO WEEDS



Advantages



LIGHT - WEIGHT



CUSTOM SIZING



CORROSION RESISTANCE



LONG SERVICE LIFE



HIGH STRENGTH



UV - PROOF



fujipipes.com



0917 300 1110



sales@fujipipes.com



PORTALET

Portable Toilet

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



PORTALET

Portable Toilet

APPLICATION

Outdoor Events
Construction Sites
Remote Locations
Emergency Situations
Public Gatherings

Outdoor Work Sites
Farming and Agricultural Events
Military Operations
Film Sets and Productions
Recreational Activities

MATERIAL

PE(Polyethylene)



Very easy to install, 2 people can finish one unit within 30 mins.

Light weight, only 73 kg, can be carried by 2 people.

Separable hand wash can be took out to use

With flap, cannot see the waste directly.

The material is UV-resistant.

Data	L*W*H	Weight	Seat Height	Water Tank	Waste Tank	Door Opening
US	39.37" x 39.37" x 90.55"	194 lbs	17.72"	13.21 gal	50.19 gal	25.59" x 78.74"
Metric	1000 x 1000 x 23000 mm	88 kg	450 mm	50 L	190 L	650 x 2000 mm



SUNROOF
THERMOPLASTIC ROOFING
ASA Coated

PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.





D230L

POLYETHYLENE DRUM

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.



D230L

POLYETHYLENE DRUM

APPLICATION

Storage and Transport
Waste Management
Industrial Chemicals
Food and Beverage Industry
Agriculture
Water Treatment
Emergency Response

MATERIAL

Linear Low-Density Polyethylene - LLDPE

SPECIFICATION



DIAMETER
60cm



HEIGHT
126.5 cm



WEIGHT
8kg



CAPACITY
230L



EASY CLOSE AND OPEN



fujipipes.com



(034) 715-0040

0917 300 1110



sales@fujipipes.com



SANIT
BY FUJIPIPES

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

FUJIPIPES

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, INC.






WHEEL SET ACCESSORIES



AVAILABLE COLORS





HOPE
SPIRAL
FLEXIBLE PIPE

PROUDLY
MADE IN
NEGROS
ISLAND

**UNDERGROUND
CABLING CONDUIT**



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, I



PIPE SIZE	INNER DIAMETER (D)	OUTER DIAMETER (D1)	WALL THICKNESS (t)	PITCH (p)	STANDARD LENGTH PER COIL	MINIMUM BENDING RADIUS	STANDARD OUTER DIA. AND HEIGHT OF COIL
(mm)	(mm)	(mm)	(mm)	(mm)	(m)	(mm)	(m)
DN40	40±2.0	50±2.0	1.5±0.3	13.0±0.8	100	150	1.5x0.6
DN65	65±2.5	85±2.5	2.0±0.3	21.0±1.0	100	250	1.7x0.65
DN90	90±3.0	110±3.0	2.2±0.3	25.0±1.0	100	350	1.9x0.75
DN100	100±4.0	130±4.0	2.3±0.4	30.0±1.0	100	400	2.0x0.85
DN115	115±4.0	145±4.0	2.3±0.4	34.0±1.0	100	400	2.2x0.9
DN125	125±4.0	160±4.0	2.5±0.5	38.0±1.0	50	400	2.4x1.0
DN150	150±4.0	195±4.0	2.8±0.5	45.0±1.5	50	500	2.5x1.2
DN160	160±4.0	210±4.0	3.0±0.5	50.0±1.5	50	500	2.5x1.2
DN175	175±4.0	230±4.0	3.5±0.6	55.0±1.5	50	600	2.6x1.7
DN200	200±4.0	260±4.0	4.0±0.8	60.0±1.5	50	750	2.8x1.8
DN250	250±4.0	320±4.0	4.5±1.5	70.0±1.5	30	850	3.2x2.1



INTERLOCK
ROAD BARRIERS MANUFACTURED BY FUJIPIPES

INTERLOCK
ROAD BARRIERS MANUFACTURED BY FUJIPIPES

INTERLOCK
ROAD BARRIERS MANUFACTURED BY FUJIPIPES

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, II



DIMENSION

Weight: 21.6Kg
Thickness: 4-5mm
Suggested Water Level: 50%



Product Features

- High-Quality LLDPE
- Weather-Resistant
- Impact-Resistant
- Modular System
- Base Design
- UV proof
- Reflective Sticker
- Lightweight
- Handles
- Ballast Weight
- Recyclable Material



Modular System



Handles



Inlet



Blue and White Reflectorize Sticker



Outlet





DEEPWELL SCREEN CASING

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



FUJIPIPES

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, I



DEEPWELL SCREEN CASING

ADVANTAGES

CORROSION RESISTANCE
ECONOMICAL

HIGH STRENGTH
LIGHTWEIGHT


EASY TO INSTALL
LONG SERVICE LIFE

SPECIFICATIONS

Color : Blue

Material : uPVC (unPlasticized Polyvinyl Chloride)

Outside Diameter (mm)	Number of Slot	CLASS 100 SERIES 10 THICKNESS (mm)	CLASS 150 SERIES 8 THICKNESS (mm)
90	5	4.4	5.2
110	5	5.3	6.3
160	5	7.7	9.2
225	6	10.8	12.9





HydroFloat

BY FUJIPIPES

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES, I





HydroFloat

BY FUJIPIPES

APPLICATION

STABLE BASE FOR AQUACULTURE EQUIPMENT SUPPORT FOR FEEDING SYSTEMS
POND WATER CIRCULATION AERATION SUPPORT


MATERIAL

Linear Low-Density Polyethylene - LLDPE

FLOATER TOP VIEW



FLOATER SIDE VIEW



FLOATER WEIGHT
6.5kg

ADVANTAGES :

DURABILITY
CHEMICAL RESISTANCE

STABLE BUOYANCY
ENERGY EFFICIENCY
LIGHTWEIGHT BUT STRONG

UV RESISTANCE
REDUCED MAINTENANCE



SÉPTICO

HORIZONTAL SEPTIC TANK

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES,



SÉPTICO

HORIZONTAL SEPTIC TANK

ADVANTAGES

Durable
Lightweight
Resistance to Chemicals
Flexibility
Leak-Proof Design
Low Maintenance
Adaptability to Various Soil Conditions
Cost-Effective
Easy Installation
Environmental Friendly

MATERIAL

Polyethylene(PE)

PRODUCT SPECIFICATIONS

CAPACITY: 1000L

LENGTH: 1740mm

WIDTH: 940mm

HEIGHT: 975mm

WEIGHT: 44kg

WALL THICKNESS: 4mm

POPULATION CAPACITY: 3-5 PERSON



INSTALLATION GUIDE



STEP 1: PREPARE TOOLS NEEDED AND LAY DOWN BOTTOM COVER



STEP 2: INSTALL DIVISION PLATE
NOTE: INSTALL THE INLET SIDE FIRST (THE SIDE HAVE THREE PLANIFORM IS INLET)



STEP 3: INSTALL JOINT ELBOW
NOTE: THE DIRECTION OF THE ELBOW MUST BE IN THE DIRECTION OF THE INLET SIDE



STEP 4: PUT A PASTE SEALING TAPE ON THE EDGE OF THE BOTTOM COVER



STEP 5: COVER THE UPPER AND MAKE SURE IT IS ALIGNED



STEP 6: INSTALL SCREW
NOTE: FIX THE FOUR CORNER OF THE SCREW FIRST



BENDED PROFILES PVC

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com

 **FUJIPIPES**

ANOTHER QUALITY PRODUCT OF
CENTRAL NEGROS FUJIPIPES INDUSTRIES,



BENDED PROFILES

PVC


FEATURES

Durable	CORROSION RESISTANT	Low Cost
Easy and Quick Installation	Fire Resistant	Lightweight


MATERIAL

Polyvinyl Chloride - PVC


Colors : Beige & White




END FLASHING



END FLASHING




FALSE GUTTER



FASCIA FLASHING




BIRDS FLASHING




WALL FLASHING




RIDGE WALL FLASHING



END WALL FLASHING



LOWER ROOF EXPOSED GUTTER



INSIDE GUTTER



MAIN ROOF EXPOSED GUTTER



MAIN ROOF FASCIA FLASHING



METAL FASCIA



RIDGE FLASHING



LOWER ROOF FASCIA FLASHING



fujipipes.com



0917 300 1110



sales@fujipipes.com

BENDED PROFILES

PVC


FEATURES

- | | | |
|-----------------------------|---------------------|-------------|
| Durable | CORROSION RESISTANT | Low Cost |
| Easy and Quick Installation | Fire Resistant | Lightweight |


MATERIAL

Polyvinyl Chloride - PVC


Colors : Beige & White




END FLASHING




END FLASHING




FALSE GUTTER




FASCIA FLASHING




BIRDS FLASHING




WALL FLASHING




RIDGE WALL FLASHING




END WALL FLASHING




LOWER ROOF EXPOSED GUTTER




INSIDE GUTTER




MAIN ROOF EXPOSED GUTTER




MAIN ROOF FASCIA FLASHING



METAL FASCIA



RIDGE FLASHING



LOWER ROOF FASCIA FLASHING



fujipipes.com



0917 300 1110



sales@fujipipes.com



TANQUE

PRESSURE TANK

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



TANQUE

PRESSURE TANK

APPLICATIONS

Durable Residential Use Water Treatment Systems Cooling Systems
 Commercial Use Industrial Use Booster Pump Systems
 Agricultural Use Food & Beverage Processing Rainwater Reuse Systems

MATERIAL

304 Grade Stainless Steel



MAX
PRESSURE
40psi

MODEL	DIAMETER	HEIGHT	CAPACITY	THICKNESS
SPT-22	385mm	610mm	22 Gal.	1.0 mm
SPT-41	385mm	1220mm	41 Gal.	1.0 mm
SPT-55	585mm	610mm	55 Gal.	1.0 mm
SPT-80	685mm	610mm	80 Gal.	1.0 mm
SPT-100	585mm	1220mm	100 Gal.	1.0 mm
SPT-140	685mm	1220mm	140 Gal.	1.0 mm



QUICK CONNECT
HDPE IRRIGATION PIPE
WITH COUPLERS



PROUDLY
MADE IN
NEGROS
ISLAND

-  + 63.917.300.1110
-  sales@fujipipes.com
-  Fujipipes
-  fujipipes.com



QUICK CONNECT

HDPE IRRIGATION PIPE WITH COUPLERS

ADVANTAGES


EASY & FAST INSTALLATION DURABLE & LONG-LASTING LIGHTWEIGHT & PORTABLE LOW MAINTENANCE
 HIGH FLEXIBILITY LEAK-PROOF CONNECTIONS PRESSURE RESISTANT ENVIRONMENTALLY FRIENDLY

MATERIAL

PE 100

OUTSIDE DIAMETER	NOMINAL SIZE	STANDARD LENGTH	SDR 21 PE 100	SDR 26 PE 100	SDR 33 PE 100	SDR 41 PE 100
THICKNESS						
(mm)	(in)	(m)	(mm)	(mm)	(mm)	(mm)
63	2	5	3	2.42	1.90	1.53
75	2-1/2	5	3.57	2.88	2.27	1.82
90	3	5	4.28	3.46	2.72	2.19
110	4	5	5.23	4.23	3.33	2.68
160	6	5	7.61	6.15	4.84	3.90
225	8	5	10.71	8.65	6.81	5.48

ASSEMBLY INSTRUCTION



Pipe can also be purchased separately without couplers.




fujipipes.com



0917 300 1110



sales@fujipipes.com



PIPE SPACER

PROUDLY
MADE IN
NEGROS
ISLAND



+ 63.917.300.1110



sales@fujipipes.com



Fujipipes



fujipipes.com



PIPE SPACER


APPLICATIONS

Corrosion Protection
Pipe-in-Casing Installations
Underground Utility Installation

Pipeline Rehabilitation
Water, Gas, and Sewer Lines
Thermal Expansion Systems

MATERIAL

Polypropylene (PP)



SIZE Ø

50mm
63mm
75mm
90mm
105mm
114mm
125mm
150mm
160mm
175mm
200mm
225mm
250mm



PRODUCT FEATURES

- Resistant to chemicals
- Offers electrical insulation
- Features a modular design
- Protects against corrosion
- Simple and quick to assemble
- Maintains dimensional stability
- Provides uniform support for pipe weight
- Keeps multiple pipes properly separated